




## Conveyor chain with special attachments (A series) Sonder-Anbauteile für Förderketten (A Serie)




| Donghua Chain No.<br>Donghua Ketten Nr. | P     | A   | B   | h <sub>1</sub> | h    | H     |
|-----------------------------------------|-------|-----|-----|----------------|------|-------|
|                                         | mm    | mm  | mm  | mm             | mm   | mm    |
| 06CF2                                   | 9.525 | 6.5 | 8.0 | 5.2            | 20.5 | 24.15 |
| 06CF7                                   | 9.525 | 6.5 | 8.0 | 4.1            | 20.0 | 24.45 |

| Donghua Chain No.<br>Donghua Ketten Nr. | P     | A   | B   | C    | h <sub>1</sub> | h    | H    |
|-----------------------------------------|-------|-----|-----|------|----------------|------|------|
|                                         | mm    | mm  | mm  | mm   | mm             | mm   | mm   |
| 06CF5                                   | 9.525 | 4.3 | 2.0 | 16.9 | 5.3            | 16.0 | 20.0 |
| 06CF8                                   | 9.525 | 4.3 | 2.0 | 16.9 | 5.3            | 20.0 | 24.0 |




| Donghua Chain No.<br>Donghua Ketten Nr. | P     | A    | C    | h <sub>1</sub> | h    | H    |
|-----------------------------------------|-------|------|------|----------------|------|------|
|                                         | mm    | mm   | mm   | mm             | mm   | mm   |
| 06CF6                                   | 9.525 | 3.25 | 17.5 | 5.25           | 16.0 | 20.0 |


| Donghua Chain No.<br>Donghua Ketten Nr. | P    | h   | h <sub>2</sub> | H    | α   |
|-----------------------------------------|------|-----|----------------|------|-----|
|                                         | mm   | mm  | mm             | mm   |     |
| 08A-D2-F1                               | 12.7 | 7.8 | 10.4           | 17.4 | 30° |
| 08AF34                                  | 12.7 | 7.8 | 10.4           | 17.9 | 30° |





# Conveyor chain with special attachments (A series) Sonder-Anbauteile für Förderketten (A Serie)



| Donghua Chain No.<br>Donghua Ketten Nr. | P    | L    | A    | B    | H    |
|-----------------------------------------|------|------|------|------|------|
| RS40F1                                  | 12.7 | 23.6 | 7.32 | 16.1 | 13.3 |




| Donghua Chain No.<br>Donghua Ketten Nr. | P    | A     | B     | L     | h    | H     | d3  | d4   |
|-----------------------------------------|------|-------|-------|-------|------|-------|-----|------|
| 08AF7                                   | 12.7 | 31.34 | 25.48 | 17.45 | 12.7 | 15.88 | 3.3 | 4.95 |




| Donghua Chain No.<br>Donghua Ketten Nr. | P    | R   | H     | A     |
|-----------------------------------------|------|-----|-------|-------|
| 08BF44                                  | 12.7 | 5.3 | 16.30 | 23.30 |
| 08AF8                                   | 12.7 | 5.2 | 16.13 | 21.34 |

| Donghua Chain No.<br>Donghua Ketten Nr. | P    | h2   | h    | A    |
|-----------------------------------------|------|------|------|------|
| 08AF41                                  | 12.7 | 10.4 | 11.8 | 6.35 |




| Donghua Chain No.<br>Donghua Ketten Nr. | P    | A    | B    | C    | h4   |
|-----------------------------------------|------|------|------|------|------|
| 08AF9-2                                 | 12.7 | 23.0 | 28.8 | 16.0 | 10.0 |

# Conveyor chain with special attachments (A series) Sonder-Anbauteile für Förderketten (A Serie)




| Donghua Chain No.<br>Donghua Ketten Nr. | P    | b1   | C    | G    | H    | h   | W    | T   |
|-----------------------------------------|------|------|------|------|------|-----|------|-----|
|                                         | mm   | mm   | mm   | mm   | mm   | mm  | mm   | mm  |
| 08A-U1F1                                | 12.7 | 7.85 | 16.5 | 24.5 | 17.4 | 7.0 | 27.4 | 1.6 |





| Donghua Chain No.<br>Donghua Ketten Nr. | P    | b1   | G1  | G2   | F     | W    | C    | h    |
|-----------------------------------------|------|------|-----|------|-------|------|------|------|
|                                         | mm   | mm   | mm  | mm   | mm    | mm   | mm   | mm   |
| 08ASAF1                                 | 12.7 | 7.85 | 9.5 | 25.0 | 19.05 | 35.0 | 21.5 | 22.0 |

# Conveyor chain with special attachments (A series) Sonder-Anbauteile für Förderketten (A Serie)




| Donghua Chain No.<br>Donghua Ketten Nr. | P    | C    | H     | α   | β   |
|-----------------------------------------|------|------|-------|-----|-----|
|                                         | mm   | mm   | mm    |     |     |
| 428HJF1                                 | 12.7 | 21.5 | 36.15 | 90° | 18° |
| 428HJF2                                 | 12.7 | 14.5 | 33.60 | 90° | 34° |

| Donghua Chain No.<br>Donghua Ketten Nr. | P      | h <sub>2</sub> | H    | S   | T    |
|-----------------------------------------|--------|----------------|------|-----|------|
|                                         | mm     | mm             | mm   | mm  | mm   |
| 08AF29                                  | 12.700 | 10.60          | 15.6 | –   | 1.50 |
| 08BF90                                  | 12.700 | 10.60          | 17.0 | 0.3 | 1.60 |
| 10AF15                                  | 15.875 | 15.09          | 17.0 | –   | 2.03 |
| 10AF2                                   | 15.875 | 13.00          | 17.0 | 0.3 | 2.03 |
| 10AF23                                  | 15.875 | 13.00          | 20.8 | 0.3 | 2.03 |
| 10AF48                                  | 15.875 | 13.00          | 16.9 | –   | 2.03 |
| 10BF50                                  | 15.875 | 13.70          | 17.0 | 0.3 | 1.70 |




| Donghua Chain No.<br>Donghua Ketten Nr. | P      | A   | B      | C    | h <sub>2</sub> | H    |
|-----------------------------------------|--------|-----|--------|------|----------------|------|
|                                         | mm     | mm  | mm     | mm   | mm             | mm   |
| 10AF8                                   | 15.875 | 6.6 | 15.875 | 29.5 | 13             | 24.2 |


## Conveyor chain with special attachments (A series) Sonder-Anbauteile für Förderketten (A Serie)




| Donghua Chain No.<br>Donghua Ketten Nr. | P     | G    | H     | h2   |
|-----------------------------------------|-------|------|-------|------|
| mm                                      | mm    | mm   | mm    | mm   |
| 12ASA                                   | 19.05 | 10.0 | 204.0 | 18.0 |



| Donghua Chain No.<br>Donghua Ketten Nr. | P     | G    | A    | R1  | R2   |
|-----------------------------------------|-------|------|------|-----|------|
| mm                                      | mm    | mm   | mm   | mm  | mm   |
| 12AF7                                   | 19.05 | 15.5 | 1.47 | 7.8 | 26.5 |




| Donghua Chain No.<br>Donghua Ketten Nr. | P      | G   | F     | W    | h3  | h4  |
|-----------------------------------------|--------|-----|-------|------|-----|-----|
| mm                                      | mm     | mm  | mm    | mm   | mm  | mm  |
| 10AF12                                  | 15.875 | 7.0 | 14.55 | 21.2 | 7.8 | 8.5 |





| Donghua Chain No.<br>Donghua Ketten Nr. | P     | A    | G     | h1    | h4   | H     | d4 |
|-----------------------------------------|-------|------|-------|-------|------|-------|----|
| mm                                      | mm    | mm   | mm    | mm    | mm   | mm    | mm |
| 12AF8                                   | 19.05 | 12.0 | 37.05 | —     | 12.0 | 26.50 | —  |
| 12AF17                                  | 19.05 | 20.0 | 34.65 | 20.69 | 11.9 | 29.48 | 8  |

## Conveyor chain with special attachments (A series) Sonder-Anbauteile für Förderketten (A Serie)




| Donghua Chain No.<br>Donghua Ketten Nr. | P     | h    | H    | L     |
|-----------------------------------------|-------|------|------|-------|
|                                         | mm    | mm   | mm   | mm    |
| C60TS                                   | 19.05 | 14.1 | 22.3 | 35.45 |


| Donghua Chain No.<br>Donghua Ketten Nr. | P    | h <sub>2</sub> | H    | α    |
|-----------------------------------------|------|----------------|------|------|
|                                         | mm   | mm             | mm   |      |
| 16AF5                                   | 25.4 | 11.7           | 34.6 | 105° |




| Donghua Chain No.<br>Donghua Ketten Nr. | P    | L     | h <sub>1</sub> | h     | H     | d <sub>4</sub> |
|-----------------------------------------|------|-------|----------------|-------|-------|----------------|
|                                         | mm   | mm    | mm             | mm    | mm    | mm             |
| 16AF6                                   | 25.4 | 47.63 | 7.92           | 21.44 | 34.93 | 4.98           |




| Donghua Chain No.<br>Donghua Ketten Nr. | P    | h    | H    | A    | S   |
|-----------------------------------------|------|------|------|------|-----|
|                                         | mm   | mm   | mm   | mm   | mm  |
| 16AF8                                   | 25.4 | 11.2 | 40.2 | 29.2 | 3.1 |



| Donghua Chain No.<br>Donghua Ketten Nr. | P    | d <sub>4</sub> | R <sub>1</sub> | R <sub>2</sub> |
|-----------------------------------------|------|----------------|----------------|----------------|
|                                         | mm   | mm             | mm             | mm             |
| 16AF13                                  | 76.2 | 45.0           | 11.9           | 31.0           |




| Donghua Chain No.<br>Donghua Ketten Nr. | P     | h    | H    | α   |
|-----------------------------------------|-------|------|------|-----|
|                                         | mm    | mm   | mm   |     |
| 20AF2                                   | 31.75 | 12.5 | 51.0 | 74° |




| Donghua Chain No.<br>Donghua Ketten Nr. | P     | G    | C <sub>1</sub> | C <sub>2</sub> | C <sub>3</sub> | d <sub>4</sub> | α   |
|-----------------------------------------|-------|------|----------------|----------------|----------------|----------------|-----|
|                                         | mm    | mm   | mm             | mm             | mm             | mm             |     |
| 20ASK1F1                                | 31.75 | 25.4 | 23.0           | 30.0           | 40.0           | 8.7            | 75° |


## Conveyor chain with special attachments (A series) Sonder-Anbauteile für Förderketten (A Serie)




| Donghua Chain No.<br>Donghua Ketten Nr. | P    | H    | h     | h2  | $\alpha$ |
|-----------------------------------------|------|------|-------|-----|----------|
|                                         | mm   | mm   | mm    | mm  |          |
| 41F6                                    | 12.7 | 20.6 | 16.35 | 8.7 | 90°      |




| Donghua Chain No.<br>Donghua Ketten Nr. | P    | H    | h2   | $\alpha$ |
|-----------------------------------------|------|------|------|----------|
|                                         | mm   | mm   | mm   |          |
| 41F5                                    | 12.7 | 23.9 | 8.51 | 14°      |




| Donghua Chain No.<br>Donghua Ketten Nr. | P      | H    | h2 | L    | $\alpha$ |
|-----------------------------------------|--------|------|----|------|----------|
|                                         | mm     | mm   | mm | mm   |          |
| 10ASA0F1                                | 15.875 | 38.5 | 13 | 29.5 | 30°      |



| Donghua Chain No.<br>Donghua Ketten Nr. | P    | H  | h    | G    | A    |
|-----------------------------------------|------|----|------|------|------|
|                                         | mm   | mm | mm   | mm   | m    |
| 16AF21                                  | 25.4 | 24 | 20.1 | 49.4 | 28.1 |




| Donghua Chain No.<br>Donghua Ketten Nr. | P     | H    | h    | $\alpha$ |
|-----------------------------------------|-------|------|------|----------|
|                                         | mm    | mm   | mm   |          |
| 12AHF27                                 | 19.05 | 30.2 | 15.6 | 70°      |




| Donghua Chain No.<br>Donghua Ketten Nr. | P     | H    | h    | G  |
|-----------------------------------------|-------|------|------|----|
|                                         | mm    | mm   | mm   | mm |
| 12AHF30                                 | 19.05 | 47.2 | 15.6 | 10 |


# **Conveyor chain with special attachments (A series)** **Sonder-Anbauteile für Förderketten (A Serie)**




| Donghua Chain No.<br>Donghua Ketten Nr. | P      | H    | h  | A    | G    |
|-----------------------------------------|--------|------|----|------|------|
|                                         | mm     | mm   | mm | mm   | mm   |
| 10AF25                                  | 15.875 | 25.4 | 15 | 6.35 | 12.7 |




| Donghua Chain No.<br>Donghua Ketten Nr. | P      | H  | h    | A    | G     |
|-----------------------------------------|--------|----|------|------|-------|
|                                         | mm     | mm | mm   | mm   | mm    |
| 10AF17                                  | 15.875 | 25 | 10.3 | 27.8 | 28.88 |




| Donghua Chain No.<br>Donghua Ketten Nr. | P      | H  | h  | h2 | G  |
|-----------------------------------------|--------|----|----|----|----|
|                                         | mm     | mm | mm | mm | mm |
| 50F21                                   | 15.875 | 40 | 20 | 13 | 48 |



| Donghua Chain No.<br>Donghua Ketten Nr. | P     | H  | h    | G     |
|-----------------------------------------|-------|----|------|-------|
|                                         | mm    | mm | mm   | mm    |
| 12AF44                                  | 19.05 | 55 | 15.6 | 36.85 |



| Donghua Chain No.<br>Donghua Ketten Nr. | P     | H     | G    | α   |
|-----------------------------------------|-------|-------|------|-----|
|                                         | mm    | mm    | mm   |     |
| 20AF21                                  | 31.75 | 49.46 | 61.5 | 22° |



| Donghua Chain No.<br>Donghua Ketten Nr. | P    | H  | h  | G  |
|-----------------------------------------|------|----|----|----|
|                                         | mm   | mm | mm | mm |
| 20AF18                                  | 63.5 | 40 | 15 | 93 |